

IN THE CLAIMS:

Please amend Claims 1, 3 and 7 as shown below, and cancel Claim 11
without prejudice or disclaimer of subject matter.

Sub
C1

1. (Currently Amended) A printed wiring board comprising:
a substrate having two opposite surfaces; and a plurality of soldering
through holes formed in said substrate;
wherein each of said plurality of soldering through holes opens so as to open
in said opposite surfaces; for inserting leads of an inserted component to be mounted onto
the printed wiring board and ~~soldering said~~ the inserted component onto said substrate,
wherein each of said plurality of soldering through holes has having an
inner peripheral surface; and a pair plurality of lands each formed continuously across said
opposite surfaces and the inner peripheral surface of a corresponding each one of said
plurality of soldering through holes,
wherein at least one land of said pair of lands is connected to at least one
wiring pattern each land having a surface, and at least one wiring pattern provided on at
least one of said opposite surfaces and connected to said lands; and
said printed wiring board further comprising:
connection state maintaining means for maintaining a connection portion
between the surface of each of said lands to which said wiring pattern is connected and said
wiring pattern in a state not wetted by solder and for maintaining said printed wiring board,
except for said connection portion, in a state wetted by solder.

B1

?

?

Sub
C
On

2. (Cancelled)

3. (Currently Amended) A printed wiring board as claimed in claim 1, wherein said connection state maintaining means comprises a material not wetted by the solder coated onto said pair of lands.

4. (Original) A printed wiring board as claimed in claim 3, wherein the material not wetted by the solder is a solder resist.

5. (Previously Amended) A printed wiring board as claimed in claim 3, wherein the material not wetted by the solder is a silk-screen pattern.

6. (Previously Amended) A printing wiring board as claimed in claim 3, wherein the material not wetted by the solder comprises a solder resist and a silk-screen pattern laminated onto each other.

7. (Currently Amended) A printed wiring board as claimed in claim 1, wherein said means comprises deactivation treatment means for oxidizing at least a part of the surface of at least one land each of said pair of lands.

8. (Previously Amended) A printed wiring board as claimed in claim 1, wherein lead solder is applied to the leads of the inserted component prior to insertion of the inserted component.

Sub
C1
Cont
B1
Cont

9. (Original) A printed wiring board as claimed in claim 1, wherein the inserted component is soldered onto said substrate by flow soldering using lead-free solder.

10. (Previously Amended) A printed wiring board as claimed in claim 9, wherein the lead-free solder contains Bismuth.

11. (Cancelled)
